

Moiseeva E.N.

USSR / Microbiology. Antibiosis and Symbiosis. Antibiotics

F-2

Abs Jour : Ref Zhur - Biol., No 1, 1958, No 635

Author : Savich, V.P., Kuprevich, V.F., Litvinov, M.A., Moiseeva, E.N.
Rassadin, K.A.

Inst : Not Given

Title : On a New Antibiotic From Lichens, the Sodium Salt of Usnicic
Acid

Orig Pub : Tr. Botani. Inst. AN SSSR, ser. 2, 1956, No 11, 5-37

Abstract : In the study of antibiotic activity of lichens in the USSR, 11 species were found which contain usnicic acid(I) in quantities large enough for industrial use. Data are given as to prevalence and content of I in specimens of Cladonia, Lecan, Cetraria, Aleatoria, Parmelia, Evernia families. Specimens of 5 species yield a levorotatory form of I, while the other 6 yield a dextrorotatory isomer. The formation of I by some species was established for the first time. The method of collecting the raw material is stated. The authors' modified, more precise method of obtaining I is described, based on extracting the lichen thallus with benzene. The sodium salt

Card : 1/2

KUPREVICH, V.F.; LITVINOV, M.A.; MOISEYVA, Ye.N.; RASSADINA, K.A.;
SAVICH, V.P.

Lichens as a source of antibiotics. Trudy Bot.inst. Ser.2 no.8:
327-356 '53. (MLRA 7:1)

(Lichens) (Antibiotics)

USSR/Chemistry - Antibiotics

"The Antibiotic Lensitin," M. A. Litvinov, M. A. Litvinov, Lab Physiol Lower Plants, Dept SP
M. A. Litvinov, Bot Inst imeni V. L. Komarov
USSR

"Petroda" Vol XL, No 1, pp 60-62

Found cultures of Lenzites sepiaria (Wulf.
have bacteriostatic and bactericidal effect
majority of bacteria, both gram-pos and neg.
lensitin (I) from this fungus
this antibiotic effective, but highly irrit.

LC

USSR/Chemistry - Antibiotics (Contd)

membranes. States further work will
with aim of lowering toxicity of I and ind
its antibacterial effect. I is not ident
antibiotic isolated by Burton from L. ter
(cf. "Nature" Vol CLXVI, 570, 1950).

LC

MOISEYEV, Ye. N.

Author : Estulin, I. V., and ~~_____~~

Title : Measurement of the coefficients of internal conversion by gamma rays of Sr-87*, In-113*, and V-51* in electrons of atoms

Periodical : Zhur. eksp. i teor. fiz. 28, 541-546, May 1955

Abstract : The authors determine the complete coefficients of internal conversion by gamma rays of Sr-87*, In-113*, In-115* and V-51* in electrons of atoms by way of direct measurements of the number of electrons and gamma quanta radiated by the source. The corresponding values found 0.26 ± 0.03 , 0.39 ± 0.04 , 0.9 ± 0.6 , and $(3.1 \pm 0.2) \cdot 10^{-3}$ lead to a conclusion concerning the energy 25-pole radiational transition of Sr-87*, In-113* and In-115* and the electric quadrupole transition of V-51*. The authors thank Z. V. Pastukhova, N. I. Mertts, and Ya. A. Kleyman. Eleven references: e.g. L. K. Peker, L. A. Sliv, L. V. Zolotavin, 1953.

Institution : Moscow State University

Submitted : April 24, 1954

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900013-6

surface and in 1 ml of water increased to tens of thousands after circulation of the water. When the herring were stored in ice the content of bacteria on it after the ice was poured into the vat increased hundreds of times in comparison with the herring just caught. This was due to the high contamination of the ice. In the experiment of storage of herring in solution of CMC the bacterial count increased but this was ascribed to the high content of bacteria in the CMC solution. A comparison of the bacterial contamination of herring stored in sea water, ice, and in the CMC solution showed that the bacteria content on the fish at the end of storage does not exceed 30,000 cell/cm². Thus, provided there is a low bacterial contamination of the herring and the refrigerating media and the sanitary and appropriate temperature conditions are observed, herring can be stored in refrigerated sea water, in ice, and in the CMC solution for up to four days without a decrease of its quality with respect to microbiological indexes. Orig. art. has: 3 figures.

SUB CODE: 06/ SUBM DATE: 00/ ORIG REF: 003/ OTH REF: 000

Card 2/2

ACC NR: AP6020036

SOURCE CODE: UR/0066/66/000/002/0041/0042

AUTHOR: Moiseyeva, Ye. L.

ORG: All-Union Scientific-Research Institute of the Refrigeration Industry (Vsesoyuznyy nauchno-issledovatel'skiy institut kholodil'noy promyshlennosti)

TITLE: Investigations on the storage of North Sea herring in refrigerated sea water. III. Microbiological investigations

SOURCE: Kholodil'naya tekhnika, no. 2, 1966, 41-42

TOPIC TAGS: food, food preservation, food sanitation, refrigeration, sea water

ABSTRACT: The author determines the effect of bacterial contamination of fish during its storage in various refrigerating media: in refrigerated sea water, in ice, and in refrigerated sea water with the addition of 1.6% carboxymethyl cellulose (CMC). The microbiological analysis of the herring was performed directly after the catch and daily during storage. At the same time the refrigerating media were investigated. Sections were taken from the surface of the fish for analysis. An increase in the number of bacteria on the herring after storing for a day was due to contact with the surface of the vats and water which had a higher bacterial contamination. During the next two days of storage the content of bacteria on the herring and

UDC: 637.56.004.4:551.463/.464

Card 1/2

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900013-6

NOSKOVA, Glafira Leonidovna; PEK, Georgiy Yul'yevich. Prinsipala uchastie
MOISEYENKO, Ye.L. NEFED'YENKA, M.P., retsensent; APT, P.S.,
retsensent; TSIPERSON, A.L., red.; BABICHEVA, V.V., tekhn.red.

[Microbiology of the cold storage of food products] Mikrobiologiya
kholodil'nogo khraneniia pishchevykh produktov. Moskva, Gos.izd-vo
torg.lit-ry, 1960. 119 p. (MIRA 14:1)
(Food--Storage) (Microbiology)

PUKHONTO, A.N.; ZHAVORONKOVA, A.Ya.; MOISEYEVA, Ye.I.; SMIRNOV, V.F.

Determination of butyl phosphoric acids, tributyl phosphate, and kerosene when present together in aqueous solutions. Zh. anal. khim. 20 no.3:372-374 '55. (MIRA 18:5)

BEKAURI, N.V.; BABENKO, Z.I.; ZHIKOVA, G.N.; MOISEYEVA, Ye.I.

Effect of an interruption of the central pathways of the sensory innervation of the eye on the secretory activity of the lacrimal body. Fiziol.zhur. 51 no.3:325-329. Mar '65.

(MIRA 38:5)

1. Laboratoriya fiziologii vegetativnoy nervnoy sistemy i nervnykh trofiki; Institut fiziologii i meditsiny AN SSSR, Moscow.

SOV/137-58-9-19781

Investigation of Alloys of Magnesium With Cadmium. (cont.)

With an increase in the heating rate the temperature of the first transformation increases. The alloy containing 61.8 atom-% Mg has the most sharply defined maximum of C_p . For Communication Nr 1, see Vestn. Mosk. un-ta. Ser. matem., mekhan., astron., fiz., khimii, 1950, Nr 6, pp 43-54.

B.L.

1. Cadmium-magnesium alloys--Specific heat
2. Cadmium-magnesium alloys-- thermodynamic properties

SOV/137-58-9-19781

Translation from: Referativnyy zhurnal, Metallurgiya, 1958, Nr 9, p 238 (USSR)

AUTHORS: Khomyakov, K.G., Kholer, V.A., Moiseyeva, Ye.I.,
Reznitskiy, L.A., Levitin, I.Ya.

TITLE: Investigation of Alloys of Magnesium With Cadmium. Communication Nr 2. True Heat Capacity of Alloys of Magnesium With Cadmium Close to Mg_3Cd in Composition and Chemical Association (Issledovaniye splavov magniya s kadmiyem. Soobshcheniye 2. Istinnaya teployemkost' splavov magniya s kadmiyem, primykayushchikh po sostavu i khimicheskomu soyedineniyu Mg_3Cd)

PERIODICAL: Vestn. Mosk. un-ta. Ser. matem., mekhan., astron. fiz., khimii, 1957, Nr 1, pp 123-130

ABSTRACT: The true heat capacity c of Mg - Cd alloys with 61.8-79.7 atom-% Mg was determined at 45-210°C by the method of continuous adiabatic heating. In alloys close to Mg_3Cd in chemical association, the presence of two chemical transformations (70-81° and 145-159°) is noted, corresponding to the process of the disordering of the alloy. The integral heat of the transformations constitutes 0.33 and 0.35 cal/g-atom, respectively.

Card 1/2

SKLYUKIN, P.S.; PETROV, B.D.; TITOV, B.D.; MOISEYEV, Ye.G.

Quality of rolls for cold rolling. Stal' 23 no.7:651 J1 '63.
(MIRA 16:9)

1. Ural'skiy zavod tyazhelogo mashinostroyeniya.
(Rolls (Iron mills)—Testing)

MOISEYEV, Ye. A.

DIONISOV, S.M.; MOISEYEV, Ye.A.; USOV, A.G.

Changes in the microstructure of salivary glands following the
ligation and resection of the excretory duct. Mat.po evol.fiziol.
1:117-126 '56. (MIRA 11:1)
(SALIVARY GLANDS)

BONDAR', I.A., kand.khim.nauk; MOISEYEVA, V.V., kand.khim.nauk

Conference on Silicates. Vest. AN SSSR 33 no.9:77-78 S '63.
(MIRA 16:9)
(Silicates)

AT: WASH, D.C.

"Baptist Content of the Illinois Constitution" - Illinois Baptist Convention
Share With Baptists and Other Churches, National Baptist Convention, Inc.,
(National, No. 1, Apr 1)

JO: Com. To. NY, 2 Nov 64 - Baptist Convention, National Baptist Convention, Inc.
Defended at NLRB Hearing on 11/11/64 (NY).

SHTERENZON, A.L., inzh.; MOISEYEVA, V.P., inzh.

Controlling the corrosion of large containers using two materials,
namely, fluoroplast 3 + glass cloth. Khim.i neft. mashinostr.
no.8:25-27 Ag '65. (MIRA 18:12)

TUKACHINSKIY, S.Ye.; KLINOVA, K.N.; MOISEYEVA, V.P.; SOKOLOVA, T.S.;
KUZNETSOVA, V.N.; LOKTEV, A.F.

Mechanism of the formation of C-reactive protein. Probl. gemat.
i perel. krovi 9 no.7:14-18 J1 '64.

(MIRA 18:3)

1. Leningradskiy institut perelivaniya krovi (dir. - dotsent A.Ye.
Belyakov).

DENSHCHIKOV, M.T.; RYLKIN, S.S.; ZHVIRBLYANSKAYA, A.Yu.; MOISEYEVA, V.P.;
~~BESEN~~TSVEYG, I.A.; BOBIKOV, Ye.V.

Role of diacetyl on the vitality of sedimentary brewers' yeasts.
Trudy TSentr.nauch.-issl.inst.piv., bezalk.i vin.prom.no.11:16-27 '63.
(MIRA 17:9)

BUNTUSH, T.O., kand. sel'khoz. nauk; MOISEYEVA, V.P.[Moiseieva, V.P.],
kand. biol. nauk; ANIS'KOVA, T.S., kand. biol. nauk; ROMANIK,
V.M., agronom; SKRIPNIK, P.S.[Skrypnyk, P.S.], red.

[Advanced methods of flax growing and processing] Peredovi
metody vyroshchuvannia i pererobky l'onu. 2., perer. i dop.
vyd. Kyiv, Derzhsil'hospvydav URSR, 1963. 133 p.
(MIRA 17:4)

TUKACHINSKIY, S.Ye.; MOISEYEVA, V.P.

Cx-reactive protein in radiation sickness. Biul. eksp. biol. i med.
52 no.8:48-52 Ag '61. (MLA 15:1)

1. Iz biofizicheskoy laboratorii (zav. S.Ye. Tukachinskiy) Leningrad-
skogo instituta perelivaniya krovi (dir. - dotsent A.D.Belyakov,
nauchnyy rukovoditel' - chlen-korrespondent AMN SSSR prof. A.N.Filatov).
Predstavlena deystvitel'nym chlenom AMN SSSR I.R. Petrovym.
(BLOOD PROTEINS) (RADIATION SICKNESS)

TUKACHINSKIY, S.Ye.; MOISEYEVA, V.P.

Binding of rivanol by serum proteins. Biokhimiia 26 no. 1:120-
125 Ja-F '61. (MIRA 14:2)

1. Biophysical Laboratory, Research Institute of Blood Transfusion,
Leningrad.

(BLOOD PROTEINS) (RIVANOL)

TUKACHINSKIY, S.Ye.; MOISEYEVA, V.P.; KUZNETSOVA, V.N.

Diagnostic value of the reaction for C-reactive protein in
some surgical diseases (Review of Soviet and foreign literature).
Vest.khir. no.8:18-23 '61. (MIRA 15:3)

1. Iz khirurgicheskoy kliniki biofizicheskoy laboratorii (zav. -
S.Ye. Tukachinskiy) Leningradskogo nauchno-issledovatel'skogo
ordena Trudovogo Krasnogo Znameni instituta perelivaniya krovi
(nauchn. rukovod. - prof. A.N. Filatov).
(PROTEINS) (DIAGNOSIS, DIFFERENTIAL) (BLOOD—DISEASES)

AKKERMAN, V.V.; TUKACHINSKI, S.Ye.; TEODOROVICH, V.I.; CHERNOMORDIK, B.L.;
MOISEYEVA, V.P.; LUKANOVA, I.S.; SHULUTKO, L.S.; KURALEVA, V.V.;
SOKOLOVA, T.S.

Some morphological and functional properties of the blood in
patients with essential polycythemia. Probl.gemat.i perel.
krovi 6 no.4:30-33 Ap '61. (MIRA 14:6)

1. Iz Leningradskogo ordena Trudovogo Krasnogo Znameni nauchno-
issledovatel'skogo instituta perelivaniya krovi (Mir. - dotsent
A.D. Belyakov, nauchnyy rukovoditel' - ohlen-korrespondent
AMN SSSR prof. A.N. Filatov). (POLYCYTHEMIA) (BLOOD)

**Some Data on the N-End Groups of Rabbit Gamma
Globulin Under Normal and Pathological Conditions**

SOV/20-124-6-43/55

The tyrosine and lysine radicals found by the authors are added to the N-radicals of the γ globulin of normal rabbits, man and ox, which are already known. It may be assumed that the disappearance of end-tyrosine from the pathological γ globulin was due to an external radiation effect (Refs 11, 12). There are 1 figure, 2 tables, and 12 references, 5 of which are Soviet.

ASSOCIATION: Leningradskiy institut sovetskoy trgovli
(Leningrad Institute of Soviet Trade)
Leningradskiy institut perelivaniya krovi
(Leningrad Institute of Blood Transfusion)

PRESENTED: July 22, 1958, by V. A. Engel'gardt, Academician

SUBMITTED: July 20, 1958

Card 3/3

Some Data on the N-End Groups of Rabbit Gamma
Globulin Under Normal and Pathological Conditions

SOV/20-124-6-43/55

(ether- and water-soluble). Figure 1 gives the schemes of characteristic chromatograms on citrate-phosphorus buffer and phenol. Table 1 presents numerical results of the R_f of chromatogram spots and the test and standard substances. For γ globulin of normal animals N-end groups are characteristic further tyrosine and lysine radicals (citrate-phosphorus chromatograms) and finally radicals of aspartic and glutamic acid and serine which are likewise well pronounced (phenol chromatograms). The occurrence of N-end alanine can be proved only by comparison of its R_f and the R_f of the standard substance in 3 solvents. In ill animals the DNPh chromatograms show the lacking of DNPh tyrosine, but another spot instead (III. Fig 1), i.e. that of DNPh glycine (all 3 solvents). The table (not numbered, p 1340) gives the characteristics of the γ globulins of normal and ill animals determined in this way. These results are largely in accordance with the data hitherto published (Refs 8-10).

Card 2/3

17(3)

AUTHORS:

Reznichenko, M. S., Moiseyeva, V. P.,
Polotnova, L. I., Takachinskiy, S. Ye.

SOV/20-124-6-43/55

TITLE:

Some Data on the N-Term Groups of Rabbit Gamma Globulin Under
Normal and Pathological Conditions (Nekotoryye dannyye ob
N-kontsevykh gruppakh gamma-globulina krolika v norme i patologii)

PERIODICAL:

Doklady Akademii nauk SSSR, 1959, Vol 124, Nr 6, pp 1339-1341
(USSR)

ABSTRACT:

The detection of the nature of the protein end groups and, furthermore, the determination of the order of amino acid radicals in the polypeptide chains of protein molecules are most important to the explanation of the protein structure etc. The authors decided to investigate the influence of an X-ray treatment of the γ globulin in vivo in addition to the problem mentioned in the title. In all three rabbits (chinchilla race) an acute radiation disease with a severe leucopenia was caused by the action of 800 r. A γ globulin preparation of about 97% was produced from their blood. Dinitro phenol (DNPh) derivatives of globulin of normal and ill animals were chromatographed on paper in 2 fractions

Card 1/3

IVANOV, I.I.; ZHAKHOVA, Z.N.; ZINOV'YEVA, I.P.; MIROVICH, N.I.; MOISHEYEVA, V.P.;
PARSHINA, N.A.; TUKACHINSKIY, S.Ye.; YUR'YEV, V.A.

Fractional composition of proteins and contractile function
of various muscle types. Biokhimiia 24 no.3:451-458 My-Je
'59. (MIRA 12:9)

1. Biochemical Laboratory of the Institute of Obstetrics and
Gynecology, Academy of Medical Sciences of the U.S.S.R., Chair
of Biochemistry of the Pediatric Medical Institute, and the
Institute of Blood Transfusion, Leningrad.
(MUSCLE PROTEINS,

fractional composition, eff. on musc. con-
traction (Rus))

BOGOMOLOVA, L.G., prof.; MOISEYEVA, V.P., nauchnyy sotrudnik; ALEKSANDROVA,
N.M., nauchnyy sotrudnik; ZHAMENSKAYA, T.V., nauchnyy sotrudnik

Obtaining a globulin compound for therapeutic purposes by means of
the selective precipitation with compounds of the acridine series.
Akt.vop.perel.krovi no.7:214-220 '59. (MIRA 13:1)

1. Laboratoriya sukhikh preparatov i biofizicheskaya laboratoriya
Leningradskogo instituta perelivaniya krovi.
(GAMMA GLOBULIN) (RIVANOL)

ANKERMAN, V.V., doktor med.nauk, MOISEVICH, V.P. (LENNINGRAD)

Blood proteins in various forms of leukemia and myelomatous diseases. Klin.med. 36 no.7:106-112 J1 '58 (MIRA 11:11)

1. Iz gematologicheskoy kliniki (zav. prof. S.I. Sherman)
i fiziko-khimicheskoy laboratorii (zav. - dotsent S.Ye. Tukachinskiy)
Leningradskogo ordena Trudovogo Krasnogo Znameni nauchno-issledovatel'skogo instituta perelivaniya krovi (dir. - dotsent A.D. Belyakov, nauchnyy rukovoditel' - chlen-korrespondent AMN SSSR prof. A.N. Filatov).

(BLOOD PROTEINS, in various dis.

leukemia & plasma cell myeloma (Rus))

(LEUKEMIA, blood in

proteins (Rus))

(MYELOMA, PLASMA CELL, blood in.

same (Rus))

MOISEYEVA, V.P., nauchnyy sotrudnik

Study of the blood protein fractions in radiation sickness and its treatment. Akt.vop.perel.krovi no.6:63-70 '58. (MIRA 13:1)

1. Biofizicheskaya laboratoriya Leningrafskogo instituta perelivaniya krovi (sav. laboratoriyey - starshiy nauchnyy sotrudnik S.Ye. Tuka-chinskiy).

(BLOOD PROTEINS) (RADIATION SICKNESS)

USSR/Human and Animal Physiology - Metabolism.

V-2

Abs Jour : Ref Zhur - Biol., No 1, 1958, 3657

the particularities of their composition. In presence of ATF [ATP 1], the contracting ability of protein fibers from muscle proteins is the less pronounced the younger is the animal. Therefore, there is - in ontogeny - a gradual change of the fractional composition of the striated muscle proteins towards an increase of the actomyosin fraction, which is formed from the "proactomyosin complex".

Card 2/2

Moiseyeva, V.B.

USSR/Human and Animal Physiology - Metabolism.

V-2

Abs Jour : Ref Zhur - Biol., No 1, 1958, 3657

Author : I.I. Ivanov, V.A. Yur'yev, V.V. Kadykov, B.M. Krymskaya,
V.P. Moiseyeva, S.Ye. Tukachinskiy

Inst : Academy of Sciences, USSR

Title : Proteins of the Proactomyosin Complex in Ontogeny.

Orig Pub : Dokl. AN SSSR, 1956, 111, No 3, 649-651

Abstract : The fractional composition of proteins in the somatic muscles of rabbits at various stages of embryonic and post-natal development was studied by means of free electrophoresis and paper electrophoresis. There was a great difference in the fractional composition of muscular proteins between embryonic and new-born rabbits, on one hand, and adult animals on the other hand. The contracting capacities of the proteins corresponded to

Card 1/2

IVANOV, I.I.; YUR'YEV, V.A.; KADYKOV, V.V.; KRYMSKAYA, B.M. ; MOISEYENVA,
V.P.; TUKACHINSKIY, S.Ye.

Electrophoretic investigation of the fractional composition of proteins
of skeletal muscles in invertebrates during ontogenesis. Biokhimiia
21 no.5:591-595 S-O '56. (MIRA 9:12)

1. Kafedra biokhimii Leningradskogo pediatricheskogo meditsinskogo
instituta.

(MUSCLE PROTEINS, determination,
electrophoresis of fractional composition (Rus))

VISHNYAKOV, A.P., prof.; MOISEYENKO, V.P., nauchnyy sotrudnik

Data on the action of short-wave ultraviolet radiation on the blood
and blood proteins. Akt.vop.perel.krovi no.4:87-90 '55. (MIRA 13:1)

1. Fiziko-khimicheskaya laboratoriya Leningradskogo instituta pereli-
vaniya krovi (sav. laboratoriyey - prof. A.P. Vishnyakov).
(ULTRAVIOLET RAYS--PHYSIOLOGICAL EFFECT)
(BLOOD PROTEINS)

MOISEYENKO, V.P.

Productivity of kok-saghyz forms flowering during the
first year of vegetation and later. *Botanicheskii zhurnal* 45
no.8:1175-1178 Ag '60. (MIRA 13:8)

1. Ukrainskiy nauchno-issledovatel'skiy institut
selektsii, Kiev.
(Kok-saghyz)

MOISEYEVA, V.P. [Moisieieva, V.P.], kand.biolog.nauk

Effect of sowing methods on the seeding rate of fiber flax when
grown for seed. Nauch. trudy UASHN 9:121-126 '59. (MIRA 14:3)
(Flax)

MOISEYEVA, V. N.

Moiseyeva, V. N. "Moger Krasnokutskiy k61," Seleksiya i razved-
vodstvo, 1949, No. 3, p. 76-77

SO: U-3566, 15 March 53, (Letopis 'Zhurnal 'nykh Statey, No. 14, 1949).

MOISEYEVA, V.M., meditsinskaya sestra

Work of the nurse with young children in the orthodontic office.
Trudy Nauch.-issl.inst.stom. no.10:204-208 '62. (MIRA 15:10)
(ORTHODONTIA)

PETROPAVLOVSKIY, Ye.I.; MOISEYEVA, V.G.

Organization of the production of apple pestin. Koms. i sv. prom.
19 no.1:16-19 Ja '64. (MIRA 17:2)

1. Krasnodarskiy nauchno-issledovatel'skiy institut konservnoy prod.
myshlennosti.

PETROPAVLOVSKIY, Ye.I.; MOISEYEVA, V.G.; OKOROKOVA, T.N.

Content and changes of pectin substances in apple and apple residue during storage. Izv.vys.ucheb.zav.; pishch.tekh. no.5:24-27 '63.
(MIRA 16:12)

1. Krasnodarskiy politekhnicheskii institut, kafedra tekhnologii konservirovaniya.

BOCHAROV, V.I., inzh., otv. za vypusk; SHESTAKOV, A.N., inzh.;
FROLOV, K.I., inzh.; SOTNIKOV, I.A., inzh.; SYSOYENKO,
N.A., inzh.; MOISEYEVA, V.G., inzh.; SIDAKOV, V.M.,
inzh.; PREDKOV, A.G., inzh.; KHITROVA, N.A., tekhn. red.

[Album of drawings of electric machinery and transformer
equipment for the VL60 electric locomotive] Al'bom cher-
tezhei elektricheskikh mashin i transformatornogo oboru-
dovaniia elektrovoza VL60. Moskva, Transzheldorizdat,
1963. 353 p. (MIRA 16:12)

1. Novocherkasskiy elektrovostroitel'nyy zavod.
(Electric locomotives--Design and construction)

PETROPAVLOVSKIY, Ye.I.; MOISEYEVA, V.G.

Use of ripe fallen apples for the production of pestin. Izv.vys.-
usheb.sov.; pishch. tekhn. no.3:79-82 '63. (MIRA 16:8)

1. Krasnodarskiy institut pishchevoy promyshlennosti, kafedra
tekhnologii konservirovaniya.
(Pestin) (Apple)

BOCHAROV, V.I., insh., otv. za vypusk. Prinimali uchastiye: SHESTAKOV, A.N., insh.; FROLOV, K.I., insh.; SYSOYENKO, N.A., insh.; MOISEYENVA, V.G., insh.; SIMAKOV, V.I., teknik; SEROV, V.I., teknik; BOBEROVA, Ye.N., tekhn.red.

[Album of drawings of electric machinery of the M8 and VL23 electric locomotives] Al'bom chertezhei elektricheskikh mashin elektrovosov M8 i VL23. Moskva, Vses.isdatel'sko-poligr.ob'edinenie M-va putei soobshcheniia, 1960. 325 p. (MIRA 13:10)

1. Novocherkasskiy elektrovosostroitel'nyy zavod.
(Electric locomotives)

MOISEYEV, TATIANA VIADIMIROVNA

MOISEYEV, Tatiana Vladimirovna; KHOTILOVSKAYA, L., red.; KIRILLINA, L.,
tekhn.red.

[Travel impressions of Rumania] Rumynskie vstrechi; putevye
vpechatleniia. [Moskva] Izd-vo TsK VLKSM "Molodaia gvardiia,"
1957. 63 p. (MIRA 11:1)
(Rumania--Description and travel)

NOVICHKINA, T.S.

Specialisation of *Apanteles glomeratus* L. and its role in reducing the numbers of pierids. Trudy VNIIR no.14:51-56 '60.

(MIRA 14:2)

(Leningrad Province—Ichnumon flies)

(Cabbage worms—Biological control)

MOISEYVA, T.M.

Use of trilon B for the determination of cadmium in biological material. Sud.-med.ekspert. 2 no.1:28-32 Ja-Mr '59.

(MIRA 13:4)

1. Kafedra neorganicheskoy khimii Ryazanskogo meditsinskogo instituta imeni I.P. Pavlova.

(ACETIC ACID)

(CADMIUM IN THE BODY)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900013-6



APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900013-6

MOISEYeva, T. G. Cand Med Sci -- (diss) "On the problem of the permeability
of hemochorion-type placentae to ^{streptomycin} ~~penicillin~~, PASK [paraaminosalicylic acid] ,
and phthivaside, and of the effect of ~~these~~ ^{these} drugs upon ^{the fetal development} ~~the fetus~~."
Mos, 1957. 13 pp (1st Mos Order of Lenin Med Inst im I. M. Sechenov), 200 copies
(KL, 45-57, 91)

MOISEYENVA, T.G.

Placental permeability to streptomycin and its effect on the development of the fetus. Akush. i gin. no.6:28-31 N-D '54.

(MLRA 8:2)

1. Iz kafedry akusherstva i ginekologii (sav.-prof. K.N.Zhmakin)
I Moskovskogo ordena Lenina meditsinskogo instituta.

(PLACENTA, physiology

permeability to streptomycin, eff. on fetus)

(STREPTOMYCIN, effects

on fetus caused by placental permeability)

(FETUS, effect of drugs on

streptomycin, through placental permeability)

MOISEYEVA, S.B.

Cooperation and general use of rural public buidings after the example
of the new state farms on the Golodnaya Steppe. Sbor.nauch.trud.fash-
NIS no.516-17 '63. (MIRA 18v1)

MOISEYEV, S.B.

New practices of organizing the way of life of the inhabitants of
a microdistrict. Sbor.nauch.trud.NII po stroi. ASIA no.3:36-52 '62.
(MIRA 17:2)

BAKHSHIYAN, F.A. (Moskva); MOISEYEVA, R.S. (Moskva)

Some nonlinear problems of the motion of a viscous plastic medium.
Izv.AN SSSR.Otd.tekh.nauk.Mekh.i mashinostr. no.3:170-174 My-Ie
'63. (MIRA 16:8)
(Dynamics)

DMITRIYEV, L.V.; KOTINA, R.P.; MOISEYEVA, R.P.

Changes of the biotite composition and conditions governing its stability in granitoids of different petrochemical types as revealed by the study of biotites of the Kaibskiy massif (central Kazakhstan). *Geokhimiia* no.3:220-235 '62. (MIRA 15:4)

1. Vernadsky Institute of Geochemistry and Analytical Chemistry,
Academy of Sciences U.S.S.R., Moscow.
(Kazakhstan--Biotite)

RATOBYL'SKAYA, L.D.; MOISEYEVA, R.N.; FROLOVA, D.N.

Effect of some reagents on the stability of flotation foams for
carbonated nonsulfide ores. Khim. prom. 40 no.9:687-689 S '62.
(MIRA 17:11)

RATOBYL'SKAYA, L.D., kand. tekhn. nauk; MOISEYEVA, R.N.

Flotation of ores of polar saltlike minerals under conditions
of partial slime separation. Khim. prom. no.4:276-278 Ap '63.
(MIRA 16:8)

MAISEYEV, R.D.

BOGATYREV, M.F.; MOISEYVA, R.D.

Unusual case of hemorrhagic diathesis. Klin.med. 35 no.7:130-131
Jl '57. (MIRA 10:11)

(HEMORRHAGIC DIATHESIS, case reports,
unusual case (Rus))

MALIKOV, K.V.; MOISEYEVA, P.F.; SUMTSOV, G.N.

Gasification of Karaganda coals. Vest. AN Kazakh. SSR 14
no.11:83-87 N '58.

(Karaganda--Coal gasification)

(MIRA 11:12)

MALIKOV, K.V.: MOISENVA, P.F.

Gasification of coals of the Turgay Basin. Gas.prom. no.12:17-19
D '58. (MIRA 11:12)
(Kustanay Province--Coal gasification)

MALIKOV, K.V.; SUMTSOV, G.N.; MOISEYEV, P.F.

Operation of hot gas generators with enriched air blast. Gas. prom.
no.10:22-26 0 '58. (MIRA 11:11)
(Gas producers)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900013-6

MALIKOV, K.V.; MOISEYEV, P.F.; SUMTSOV, G.N.

Gasification of Karaganda coal. Gaz. prom. no.9:27-29 S '58.
(MIRA 11:10)

(Karaganda Basin--Coal gasification)

MUSEYEV, P.F.

P.

245. GASIFICATION OF PECHORA BASIN COAL. Malikov, K.V. and Moiseyev, P.F. (Za Ekon. Topliva (Fuel Econ.), Apr. 1951, 16-20; abstr. in Chem. Abstr., 1952, vol. 46, 1735). Samples for this investigation were taken from various mines and various beds within each mine. The moisture content of coal fed into the gas generator (air-dry) was 7.34-8.45, ash (dry basis) 20.4-31.6, S (dry basis) 1.79-3.98, and volatile matter (combustible basis), 32.6-39.6%. The coal contained (sulphur-free combustible basis) H 4.88-5.38, C 73.7-76.4, N 1.90-2.34, O 16.32-18.89%. The calorific value of air-dry coal was 7168-7617 kcal./kg. The coal yielded (dry-basis) semicoke 78.8-81.7, tar 7.32-10.7, moisture 3.0-5.72%, and gas 45.06-61.36 l./kg. The composition of the gas was CO₂ 21.66-30.45, C₂H₄ 2.75-3.54, CO 9.25-12.71, H₂ 10.46-11.45, CH₄ 37.51-40.71, C₂H₆ 6.49-8.48, and N₂ 0.21-3.59%. Its calorific value was 5339-5712 kcal./kg. C.A.

Wash/Puel
Coal
Gasification

"Industrial Gasification for Chely
E. V. Malikov, P. P. Moiseyeva, 2

"In Khon Top" No 11

Examination of the Sukhologzhsk factory
established certain conditions for
Chelyabinsk coal. NK or BR type coal
rigidly ground and sorted, but this
guarantee uniformity and continuity.

Wash/Puel (Contd)

must have: good ash-removal facilities
draft supply (Koller type grid) and
delivery for the cross section of the
should be water-jacketed.

MOISEYEV, P. P.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900013-6

1. Rukovoditel' gruppy fiziko-mekhanicheskikh ispytaniy zavoda tekstil'nykh ispytaniy Vsesoyuznogo nauchno-issledovatel'skogo instituta iskusstvennogo volokna (for Demina). 2. Rukovoditel' gruppy tekstil'noy tekhnologicheskoy laboratorii Vsesoyuznogo nauchno-issledovatel'skogo instituta iskusstvennogo volokna (for Makhova). 3. Starshiye inzhenery tsentral'noy nauchno-issledovatel'skoy laboratorii fabriki "Krasnoye znamy" (for Pilenkova, Moiseyeva). 4. Glavnyy inzh. Tashkentskogo tekstil'nogo kombinata (for Kostin). 5. Zaveduyushchiy nauchno-tekhnicheskoy bibliotekoy Tashkentskogo tekstil'nogo kombinata (for Nemtsovich).

USSR / Weeds and Weed Control.

N

Abs Jour : Ref Zhur - Biologiya, No 13, 1958, No. 58823

of roots diminished by 62-89 cwt/ha. In the second paper, (author-Matvievs'kiy) the experiments carried out by the Mleev Experimental Station on the use of herbicides 2,4-D, sodium pentachlorophenolate and isopropylphenylcarbamate (IPC) and (CIPC) are described. The best results for the control of weeds in gardens were obtained with a mixture of IPC (1.6 kg) and 2,4-D (1.5 kg/ha). In the third paper, (author-Moyseeva) the results of experiments on the testing of 2,4-D and 2M-4X for the control of weeds in flax, carried out by the Ukrainian Institute of Agriculture in 1956, are given. The best results were obtained with 2M-4X in doses of 0.9 kg/ha. In this case, the yield of fiber was higher than in the case of manual weeding. --
R. A. Safra

Card 2/2

MOISEYEVA, O.I.

Effect of kidney denervation on the erythropoietin content of
the blood serum in rabbits. Probl. gemet. i perel. zren. 1964, no. 8-13 F '64. (21:4 19:1)

1. laboratoriya eksperimental'noy i klinicheskoy gematologii
(zav. - prof. A.Ya. Yaroshevskiy) Instituta fiziologii imeni
Pavlova (dir. - akademik V.M. Chernigovskiy) AN SSSR, Leningrad.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900013-6

2017-07-11, 11.

1. The first of the two main points of the report is that the United States has a long history of supporting the military and political interests of the United States in the Middle East.

2. The second point is that the United States has a long history of supporting the military and political interests of the United States in the Middle East.

YAROSHEVSKIY, A. Ya.; MOISEYEVA, O. I.; SHEKHTER, S. Yu.

"On interrelation of the factors of plasma stimulating and inhibiting the erythropoiesis."

report submitted to 10th Cong, Intl Society of Hematology, Stockholm, Sweden, 30 Aug-4 Sep 64.

Central Hospital, Min of Transport, Moscow.

YAROSHEVSKIY, A. Ya.; MOISEYEVA, O. I.; SHEKHTER, S. Yu.

"On the interrelation of the factors of plasma stimulated and inhibiting the erythropoiesis."

report submitted to 10th Cong of Intl Soc of Hematology, Stockholm, 21 Aug-4 Sep 64.

Pavlov Inst of Physiology, Leningrad.

MOISEYEVA, O.I.; SHEKHTER, S.Yu.

Study of serum erythropoietins by the method of bone marrow culture.
Probl. gemat. i perel. krovi 8 no.7:12-17 J1 '63. (MIRA 17:10)

1. Iz terapevticheskogo sektora (zav. -prof. A.Ya. Yaroshevskiy) Institutu fiziologii imeni akademika Pavlova (dir. -akademika V.N. Chernogovskiy) AN SSSR.

MOISEYVA, O.I.

Diagnostic significance of pigment cells in the phlegm in lung diseases. Sov.med. 23 no.7:130-133 J1 '59. (MIRA 12:11)

1. Iz fakul'tetskoy terapevticheskoy kliniki (zav. - prof.N.N. Vysotskiy) Kalininskogo meditsinskogo instituta.
(LUNG DISEASES diagnosis)
(PIGMENTS)

MOISEYEVA, O.I.

Changes in the erythrocyte structure of the blood following partial
denervation of the kidneys in rabbits. Biol. eksp. biol. i med. 57
no.3:41-44 Mr '64. (MIRA 17:11)

1. Laboratoriya eksperimental'noy i klinicheskoy gematologii (zav.
- prof. A.Ya. Yaroshevskiy) Instituta fiziologii imeni I.P. Pavlova
(dir. - akademik V.N. Chernikovskiy) AN SSSR, Leningrad.

TUSHINSKIY, M.D., prof., STANGRAYA, V.V., MOISEYVA, O.I., POPOV, B.N.

Material on the effect of the liver on the blood system. Trudy
IMI 2:102-108 '55 (MIRA 11:8)

1. Kafedra propedevicheskoy terapii (sav. - deystvitel'nyy chlen
AMN SSSR prof. M.D. Tushinskiy) Pervogo Leningradskogo meditsinskogo
instituta imeni akademika I.P. Pavlova.

(LIVER)
(BLOOD)

MOISEYVA, O.I.

Role of the liver in the regulation of blood composition. III.
Modification of blood composition following stimulation of
chemoreceptors of the liver. *Biul. eksp. biol. i med.* 38 no.10:
19-21 0 '54. (MLRA 8:1)

1. Is laboratorii fiziologii retseptorov (sav. deystvitel'nyy chlen
AMN SSSR prof. V.N.Chernigovskiy) Instituta fiziologii imeni I.P.
Pavlova (dir. akademik K.M.Bykov) AN SSSR i propedevticheskoy
terapevticheskoy kliniki (dir. deystvitel'nyy chlen AMN SSSR
M.D.Tushinskiy) I Leningradkogo meditsinskogo instituta.

(LIVER, physiology,

eff. of stimulation on blood picture)

(BLOOD,

eff. of liver stimulation on blood picture)

NOISNYVA, O.I.

Role of the liver in regulating the composition of the blood. Part 2.
Modifications in the composition of the blood following partial
denervation of the liver. Biul. eksp.biol. i med. 38 no.8:29-32
Ag '54. (MLRA 7:9)

1. Is laboratorii fiziologii retseptorov (sav. deystvitel'nyy chlen
AMN SSSR V.N.Chernigovskiy) Instituta fiziologii AN SSSR imeni I.P.
Pavlova (dir. akademik K.M.Bykov) i Kliniki propedevтики vnutrennikh
bolesney (dir. deystvitel'nyy chlen AMN SSSR M.D.Tushinskiy) i Lenin-
gradskogo meditsinskogo instituta.

(LIVER, innervations,
eff. of denervation on blood picture)
(BLOOD,
picture, eff. of denervation of liver)

MOISEYEVA, O.I.

МОИСЕЕВА, О.И.

Role of the liver in regulating blood composition. Part 1. Modifications in the blood in experimental hepatitis and induced jaundice in rabbits. Biol. eksp. biol. i med. 37 no.6:33-36 Je '54. (MLRA 7:8)

1. In laboratorii fiziologii retseptorov (sav. deystvitel'nyy chlen AMN SSSR prof. V.N.Chernigovskiy) Instituta fiziologii AN SSSR imeni I.P.Pavlova (dir. akademik K.M.Bykov) i Propedevticheskoy terapevticheskoy kliniki (dir. deystvitel'nyy chlen AMN SSSR M.D.Tushinskiy) Leningradskogo meditsinskogo instituta.

**(JAUNDICE, OBSTRUCTIVE, experimental,
blood picture changes)**

**(HEPATITIS, experimental,
blood picture changes)**

**(BLOOD, in various diseases,
exper. hepatitis & obstruct. jaundice)**

MOISEWITS, C. I. --

" Data Relating to the Question of the Part Played by the Liver in
Regulating the Composition of the Blood (Clinco-Experimental Investigation)."
Cand Med Sci, First Leningrad State Medical Inst, Leningrad, 1953.
(RZhBiol, No 4, Oct 54)

Survey of Scientific and Technical Dissertations Defended at USSR
Higher Educational Institutions (10)

SO: Sum. No. 481, 5 May 55

LANTRATOV, M.F.; MOISEYEVA, O.F.

Conductance of fused salt solutions in the systems
 $\text{PbBr}_2 - \text{NaBr}$ and $\text{PbBr}_2 - \text{KBr}$. Zhur. prikl. khim. 36 no.10:
2201-2205 0 '63. (MIRA 17:1)

1. Leningradskiy elektrotekhnicheskii institut imeni Ul'yanova
(Lenina).

MOISEYEVA, O.F.

Conductance of solutions of fused salts in the systems CdBr_2 -
 KBr and CdBr_2 - NaBr . Zhur. prikl. khim. 36 no.4:917-920
Ap '63. (MIRA 16:7)

1. Leningradskiy elektrotekhnicheskii institut V.I. Ul'yanova
(Lenina).

(Fused salts--Electric properties)

LANTRATOV, M.F.; MOISEYEVA, O.F.

Electric conductivity of fused salt solutions in the system
 $PbCl_2$ - $TlCl$. Zhur. prikl. khim. 34 no.5:1169-1171 My '61.
(MIRA 16:8)

1. Leningradskiy elektrotekhnicheskii institut im. Ul'yanova
(Lenina).

(Lead chloride—Electric properties)

(Thallium chloride—Electric properties)

Electrical Conductivity of the Solutions of
Molten Salts. I. The System PbCl_2 - KCl

68852
S/076/60/034/02/016/044
B010/B017

of the specific and equivalent electrical conductivity show a strong minimum at a composition $x_{\text{KCl}} = 0.6-0.7$ which becomes more distinct at lower temperatures. The minimum is explained by the presence of complex lead ions in the PbCl_2 - KCl melt. This assumption is confirmed by the experimental results on viscosity, surface tension, thermodynamic properties, transference number, and other properties of the system investigated. The isotherm of the equivalent electrical conductivity shows a smaller maximum at $x_{\text{KCl}}=0.1$ which is explained by a dissociation of the autocomplex $(\text{Pb} [\text{PbCl}_4])$ on addition of small amounts of KCl under formation of the ions K^+ , Pb^{2+} and the complex ions $[\text{PbCl}_4]^{2-}$. The curve of electrical conductivity of pure PbCl_2 shows a wave dependent on the temperature at $600-650^\circ$ which is explained by the structural change of the molten PbCl_2 at a temperature increase. There are 5 figures, 2 tables, and 23 references, 15 of which are Soviet.

ASSOCIATION: Elektrotekhnicheskiy institut im. V. I. Ul'yanova (Lenina) Leningrad (Institute of Electrical Engineering imeni V. I. Ul'yanov (Lenin) Leningrad)

SUBMITTED: May 6, 1958
Card 2/2

5.4600
AUTHORS:Lantratov, M. F., Moiseyeva, O. F.

63852

S/076/60/034/02/016/044
B010/B017

TITLE:

Electrical Conductivity of the Solutions of Molten Salts.
I. The System PbCl_2 - KCl

PERIODICAL:

Zhurnal fizicheskoy khimii, 1960, Vol 34, Nr 2, pp 367-374 (USSR)

ABSTRACT:

The electrical conductivity of the system PbCl_2 - KCl has already been investigated by N. M. Tarasova (Ref 8) and in the paper (Ref 13); contradictory results have been obtained, however. In the present paper, the entire system was investigated in the concentration range of 0-100 mol% KCl and in a temperature range of 425-800°C. The measurements were made on an improved a.c. bridge circuit (Fig 1) with an EG-10 generator as current source, and an electronic EO-7 oscillograph as indicator. A quartz cylinder with a capillary (30-50 mm long, diameter: 0.8-1.2 mm) and Pt/PtRh thermocouples served as analysers (Fig 2). The measurements were made polythermally. The results obtained (Table 1, specific electrical conductivity; Table 2, equivalent electrical conductivity at 500 and 650°C) and those from reference 13 do not agree with the observations made by N. M. Tarasova. Strongly negative deviations of the electrical conductivity were observed. The isothermal lines

Card 1/2

25059

S/080/60/033/010/008/029
D216/D306

Electrical conductivity of ...

of specific conductivity of the system $\text{CaCl}_2\text{-BaCl}_2$; Conductivity isotherms for various sections of the system $\text{CaCl}_2\text{-BaCl}_2$, 7:1; 3:1; 3:2, respectively; Isotherms (800°) of conductivity of mixtures $\text{NaCl-CaCl}_2\text{-BaCl}_2$ for sections with constant ratio of $\text{CaCl}_2\text{-BaCl}_2$; Conductivity of the system $\text{NaCl-CaCl}_2\text{-BaCl}_2$ for section I ($\text{NaCl}:\text{CaCl}_2 = 3:7$). Specific conductivity in $\Omega^{-1} \cdot \text{cm}^{-1}$ for various BaCl_2 contents (mol %), and conductivity isotherms for sections I-III in which the ratio $\text{NaCl}:\text{CaCl}_2$ is held constant and the BaCl_2 content varied. Conductivity of mixtures of NaCl-CaCl_2 is appreciably lowered by adding BaCl_2 which also causes lower conductivity by adding to pure NaCl . There are 11 figures and 19 references: 13 Soviet-bloc and 6 non-Soviet-bloc. The references to the English language publications read as follows: J. Story, I. Clarke, J. Metals, 11, 1449, 1957; H. Bloom, J.W. Knaggs, I.I. Melloy, D. Welch, Trans. Faraday Soc., 49, 1458, 1953.

SUBMITTED: March 28, 1960
Card 3/3

25059

S/080/60/033/010,000,020

D216/D206

Electrical conductivity of ...

II. $\text{NaCl}:\text{CaCl}_2 = 1:1$; III. $\text{NaCl}:\text{CaCl}_2 = 7:3$; IV. $\text{CaCl}_2:\text{BaCl}_2 = 3:2$; V. $\text{CaCl}_2:\text{BaCl}_2 = 3:1$; VI. $\text{CaCl}_2:\text{BaCl}_2 = 7:1$. The conductivity was measured with a similar apparatus to that described by the authors in a previous paper. The salts NaCl , CaCl_2 and BaCl_2 were desiccated beforehand, and to eliminate traces of water and oxides the BaCl_2 was heated in a current of HCl at $500-800^\circ$, the NaCl and CaCl_2 were fused and dry HCl was passed through the melt. Conductivity isotherms of the system $\text{NaCl}-\text{CaCl}_2$ show minima for 10-20 mol % NaCl . The product of specific conductivity by viscosity is an important relationship. O. Menge has described a compound $4\text{NaCl}\cdot\text{CaCl}_2$ melting with decomposition at 650° and showing a eutectic at 47.2% NaCl at 500° . Pichugin did not confirm this but found that $\text{NaCl}-\text{CaCl}_2$ is a simple eutectic system. The breakdown of the $\text{NaCl}-\text{CaCl}_2$ system does not give definite indications about the presence of complex ions. The article then indicates via graphs: The isotherms

Card 2/3

25059

S/080/60/033/0.2/000/0.2

D216/D306

5 2100

AUTHORS: Lantratov, M.F., and Moiseyeva, O.F.

TITLE: Electrical conductivity of mixtures of the fused salts of the $\text{NaCl} - \text{CaCl}_2 - \text{BaCl}_2$ system

PERIODICAL: Zhurnal prikladnoy khimii, v. 33, no. 10, 1960
2225 - 2234

TEXT: This is a continuation of the work of A.F. Alabyshov and E. Ya. Kulakovskaya, who found that by raising the calcium chloride and more especially the barium chloride content the conductivity was reduced. The ternary system $\text{NaCl} - \text{CaCl}_2 - \text{BaCl}_2$ is a new electroly-fusible electrolyte for producing metallic sodium from sodium chloride, and the present study was made with a view of widening the range both of compositions and of temperatures. The composition range was divided into six sections; I. $\text{NaCl}:\text{CaCl}_2$ 3:7.

Card 1/3

CA MOISEYEVA, O. F.

Condensation of tetramethylbutynediol with phenol.
 Yu. S. Zait'skiy and O. F. Moiseyeva (A. I. Gertsen Pedagog. Inst., Leningrad). *Zh. Obshch. Khim.* (J. Gen. Chem.) 20, 838-85 (1950).—Heating 1,1,4,4-tetramethyl-3-butyn-1,4-diol (I), with PhOH in the presence of a small amt. of sulfuric acid leads to almost no action in C₆H₆ or MePh; in xylene evolution of H₂O is complete after 5 hrs. and yields 31% distillable products and 45% tar; increase of the amt. of catalyst has no effect on the yield; activated clay reduces the extent of the reaction to but 8%; and a repetition of the expt. without PhOH gives some CH₄; CMe₂-CCMe₂OH, b. 120-60°, indicating a simple dehydration. Data. of the volatile reaction products yields 2,2,5,5-tetramethyl-3-phenoxy-3,5-dihydrofuran, b. 120°, d₄²⁰ 0.9047, n_D²⁰ 1.52376 [which yields PhOH on boiling with H₂O]; hydrogenation over Pt black yields the corresponding tetrahydro analog, b. 132-4°, d₄²⁰ 0.9062, n_D²⁰ 1.51354; oxidation with KMnO₄ or CrO₃ gives O(CMe₂CO₂H)₂, m. 266°; bromination of the dihydro deriv. in cold CHCl₃ gives the unstable dibromide, which loses HBr and yields the mono-Hr deriv., m. 137-8°, and 2,2,5,5-tetramethyl-3-(p-hydroxyphenyl)-3,5-dihydrofuran, b. 108-10°, d₄²⁰ 0.9066, n_D²⁰ 1.52218, which on hydrogenation gives the tetrahydro analog, b. 112-13°, d₄²⁰ 0.9081, n_D²⁰ 1.51734; oxidation of the former by CrO₃ gives HCO₂H and p-HOC₆H₄CO₂H, m. 213°; bromination gives the dibromide, m. 131-2°. G. M. Kosolapoff

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900013-6

MOISEYEVA, O. F.

Chistyakov, N. M., Vakhrusheva, V. A. and Moiseyeva, O. F. - "On the problem of regeneration of medicinal muds of the Varzi-Yatchi Health Resort," Trudy Medinstituta (Izhev. gos. med. in-t), Vol. VII, 1949, p. 85-87

SO: U-3450, 16 June 53, (Let-pis 'Zhurnal 'nykh Statey, No. 5, 1949).

ZEYTS, P.Y.; MOISEYVA, G.A., Ivan.

Certain problems in the methods of operation of the
iron mine. Gor. shar. no. 7157-67. 1967.

1. Glavnyy geologicheskiy "Tsentralnyy" i "Zapadnyy".

YAROSHEVSKIY, A., prof.: VASIL'YEVA, V.; MOISEYEVA, O. (Leningrad)

Some problems of modern nephrology. Vrach. delo no.3:142-147
Mr '64. (MIRA 17:4)

MOISEYEVA, N.V.; MERZLIKINA, M.N.

Rapid method of determination of β -phenylethyl alcohol in technical
raw β -phenylethyl. Zav.lab. 29 no.12:1437 '63. (MIRA 17:1)

YEREMENKO, P.L., kand.tekhn.nauk; YEKHAROV, A.D., arkhitekt; KOMYSHOV, A.V.,
 inzh.; ANTONOV, P.V., inzh.; KHUTORYANSKIY, D.L., inzh.; SOLOVNIKO,
 I.S., kand.geol.-minerl.nauk; KOZAKOV, A.I., inzh., red.; MOISEYEVA,
 N.I., otvetstvennyy za vypusk

[Specifications for making, designing, and using sawed limestone
 wall blocks] Tekhnicheskie ukazaniya na proizvodstvo, proektirovaniye
 i primeneniye v stroitel'stve krupnykh stenovykh blokov iz pil'nykh
 izvestniakov. Kiev, Biuro tekhn.pomoshchi NIIIE ASIA USSR, 1958.
 82 p. (MIRA 12:2)

1. Ukraine. Ministerstvo stroitel'stva. Tekhnicheskoye upravleniye.
2. Odesskiy inzhenerne-stroitel'nyy institut (for Antonov). 3. Insti-
 tut stroymaterialov Akademii stroitel'stva i arkhitektury USSR (for
 Soloninake).

(Building blocks)

(Limestone)

DUBININ, N.P.; SHCHERBAKOV, V.K.; MOKEYEVA, N.P.

Cytogenetic analysis of the mutagenic effect of chemical
mutagens of a new group and some characteristics of natural
and induced mutation of chromosomes. Genetika no.2:67-72
Ag '65. (MIKA 18:00)

1. Institute of Biological Physics, Academy of Sciences of
the U.S.S.R., Moscow.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001134900013-6

MOISEYVA, N. N.

"Asymptotic methods in problems of satellite dynamics"

Report presented at the Conference on Applied Stability-of-Motion Theory and Analytical Mechanics, Kazan Aviation Institute, 6-8 December 1962

MOISEYEVA, N.I.; GENKIN, A.A.

Results of the use of a nonparametric statistical procedure in the analysis of electroencephalograms in cerebrovascular diseases. Zhur. nevr. i psikh. 63 no.8:1147-1152 '63.

(MIRA 17:10)

1. Kafedra nervnykh bolezney (zav. - prof. D.K. Bogorodinskiy) i Leningradskogo meditsinskogo instituta imeni akademika Pavlova i kafedra spetsial'noy fiziologii (zav. - dotsent Ye.E. German) Voenno-meditsinskoy ordena Lenina akademii imeni Kirova.

MOISEYEVA, N.I.; LUCHKO G.D.; LISTOVA, A.I.

Results of dispensary service for patients who have suffered
brain trauma. Sov.Med. 27 no.7:85-89 Jul'63. (MIRA 16:9)

1. Iz kafedry gosspital'noy khirurgii (zav. - chlen-korrespondent AMN SSSR prof. F.G.Uglov) i kafedry nervnykh bolezney (zav. - prof. D.I.Bogorodinskiy) I Leningradskogo meditsinskogo instituta imeni I.P.Pavlova.

(BRAIN-WOUNDS AND INJURIES)
(DISPENSARIES)

MOISEYEVA, N.I., kand.med.nauk

Disorders in the concomitant movements of the eyes in diseases of the nervous system. Vop.neirooft. 2:105-126 '63.(MIRA 16:8)

1. Iz kafedry nervnykh bolezney 1-go Leningradskogo meditsinskogo instituta imeni akademika Pavlova (zav. kafedroy - Ye.L. Venderovich).

(BRAIN—DISEASES) (EYE—MOVEMENTS)

MOISEVICH, N.I.; LUCHKO, G.D.

Late results of the treatment of cranial base fractures. Vest.
khir. 86. no.2:37-41 '61. (MIRA 14:2)

1. Iz gosptal'noy khirurgicheskoy kliniki (sav. - prof. F.G. Uglov) i kliniki nervnykh bolezney (sav. - prof. D.K. Bogorodinskiy) 1-go Leningradskogo meditsinskogo instituta im. I.P. Pavlova.

(SKULL—FRACTURE)

NOISEYKO, N.I.; YATSKOVICH, V.V.

Characteristics of changes in the leukocytes in acute disorders in the blood circulation of the brain. Zhur. nevr. i psikh. 61 no.5: 677-681 '61. (MIRA 14:7)

1. Kafedra nervnykh bolezney (zav. - prof. D.K.Bogorodinskiy)
I Leningradskogo meditsinskogo instituta imeni I.P.Pavlova i
TSentral'naya laboratoriya bol'nitsy imeni F.F.Erismana.
(LEUCOCYTES) (BRAIN-DISEASES)

MINENKOVA, N.I.; LISTOVA, A.I.; LUCHKO, O.B. (Leningrad)

Relationship between injuries of the brain and the development
of hypertension. Klin.med. 39 no.5:27-30 My '61. (MIRA 14:5)

1. Is Kliniki gosital'noy khirurgii (sav. - prof. F.G. Ugllov)
i Kliniki pervykh bolezney (sav. - prof. D.K. Bogerodinskiy)
I Leningradskogo meditsinskogo instituta imeni I.P. Pavlova.
(HYPERTENSION) (BRAIN WOUNDS AND INJURIES)